Burns, 7, 449–454 *Printed in Great Britain*

Index

Volume 7 1980–1981

Abe O.: *see Ikeuchi S.*
Abstracts, 70, 150, 227, 303, 378, 441
Acid burns, hydrofluoric, treatment for, 267
Adolescents burned as children, 95
Aetiology, facial burns with unusual, 136
Aged patient, burn injury in, 365
Aikawa N. *see* Ikeuchi S.
Akhtar M. and Gang R. K.: Epidemiology of burns in Beghazi, Libya, 351
Albumin extravasation in rats, effect of burn depth upon oedema formation and, 79
Aloe vera (gel) cream as topical treatment for out-patient burns, 291
Amikacin in a burns unit: 2 years experience, 418
Anderson P. O., Wachtel T. L., Frank H. A. and Trubo B. G.: The clinical pharmacist as a member of the burn team, 309
Anderson W.: *see* Bartlett R. H.
Andrews J. K.: *see* Buchan I. A.
Antia N. H.: *see* Mistry S.
Antibacterial agents, prophylactic topical, for treatment of burn wound, comparative evaluation of povidone-iodine aerosol foam solution and silver sulphadiazine cream as, 143
Anti-serum, pseudomonas, *Pseudomonas aeruginosa* vaccine and, in treatment and prevention of infections in burned patients.
Aoki Y.: *see* Kikuchi I.
Aoyama H., Izawa Y. and Ozawa T.: Toxic effects of extracts from burned skin, serum and blister fluid of burn patients on mitochondral function, 33
Arora S.: *see* Mistry S.
Artery, radial, infected traumatic pseudoaneurysm of, in burned child: case report, 139
Arturson G.: The Los Alfaques Disaster: a boiling-liquid, expanding-vapour explosion, 233
Azzolini A.: *see* Novarini A.

Babskaya Y. E.: *see* Kuyzin M. I.
Bacterial barrier dressing for skin donor sites, 52
Bacteriology of burns, 190
Banerjee C.: *see* Sen R.
Bangour Burns Unit over first 10 years of use, review of. Are expensive and elaborate burns units always necessary? 166
Banssillon V.: Partitional calorimetry measurements of energy exchanges in severely burned patients 180
Barclay, T. L.: *see* Page R. E.
Barisoni D. and Bertolini D.: Kidney function in the extensive burn, 361
Barlow G. B.: The effect of burns and scalds on the excretion of polyamines by children, 100
Barrett M.: *see* Rai Behl C.
Barrier dressing, bacterial, for skin donor sites, 52
Bartlett R. H., Fong S. W., Marrujo G., Hardeman J. and Anderson W.: Coagulation and platelet changes after thermal injury in man, 370
Bartlett R. H.: *see also* Tavis M. J.
Baxter, C.: *see* Heck E.
Benghazi, Libya, epidemiology of burns in, 351
Berry R. B. and Hackett M. E. J.: A comparative evaluation of lyophilized homograft lyophilized pigskin and frozen pigskin biological dressings, 84
Bertolini D.: *see* Barisoni D.
Bingham H. G.: Electrical injuries to the upper extremity-a review, 155
Bingham H. G., Krischer J. P., Shuster J. J. and Engelman I. A.: Effects of nutrition on length of stay and survival for burned patients. 252
Bingham H. G: *see also* Krischer J. P.
Biological dressing, changes in biological properties of pigskin prepared as, by preservation and radiation-sterilization, 49
  dressings, frozen pigskin, lyophilized homograft, lyophilized pigskin comparative evaluation of, 84
  properties of pigskin changes in, prepared as biological dressing by preservation and radiation-sterilization, 49
Bittel J.: *see* Henane R.
Blood cultures, enhanced recovery of pseudomonas from, 38
Bock R.: *see* Kohler G.
Boorman J. G.: *see* Buchan I. A.
Borghetti A.: *see* Novarini A.
Boykin J. V., Eriksson E. and Pitman R. N.: Microcirculation of a scald burn: an *in vivo* experimental study of the hairless mouse ear, 335

Bradshaw W.: *see* Fox C. L. jun.
Branding, immediate influences of, at 60 °C on hairless mouse skin permeability: permeability of thermally damaged skin II:, 389
Browne, M. E.: *see* Thomson P. D.
Buchan I. A., Andrews J. K., Lang S. M., Boorman J. G., Harvey Kemble J. V. and Lamberty B. G. H.: Clinical and laboratory investigation of the composition and properties of human skin wound exudate under semipermeable dressings, 326
Burn unit, community hospital, time-sharing computerized data program for, 176
expensive and elaborate, are they necessary? Review of Bangour Unit over first 10 years of use, 166
paediatric, psychosocial concerns in, 208

Campbell J. L.: *see* Wilkins T. J.
Carvajal H. F. and Linares H. A.: Effect of burn depth upon oedema formation and albumin extravasation in rats, 79
Cech M. and Hendriks W. D. H.: Nursing of the seriously burned patient in a laminar flow, 339
Cerium nitrate, effects of three concentrations, on bacterial growth in excised burn wounds, 409
Chansouria J. P. N., Sinha J. K., Mathur A. K., Patel V., Tripathi F. M. and Udapa K. N.: Hormonal and associated metabolic alterations following burn injury: Part I. Relationship to degree of burn, 10
Chansouria J. P. N.: *see also* Sinha J. K.
Childhood accidents involving electric jug—options for prevention, 286
psychological effects of accidental injury in, with particular reference to burns and scalds, 90
Children, burned, infected traumatic pseudoaneurysm of radial artery in: case report, 139
adolescents burned as, 95
effect of burns and scalds on excretion of polyamines by, 100
Cipolle R. J.: *see* Zaske D. E.
Coagulation and platelet changes after thermal injury in man, 370
Coates C. L., Burwell R. G., Carlin S. A., Cason J. S., Littlejohn S., Selby C. and Swannell A. J.: Samatomedin activity in plasma from burned patients with observations on plasma cortisol, 425
Cole O. R.: Secondary scalp and forehead reconstruction using free flaps, 131
Computerized data program, time-sharing, for community hospital burn unit, 176
Cost of burn injuries in Denmark, 162
Curling's ulcer, perforating—rare but lethal complication, 203
Curti A.: *see* Novarini A.

Data program, time-sharing computerized, for community hospital burn unit, 176
Débridement of burn wound with sutilains ointment, 41
Denmark, cost of burn injuries in, 162
Destructive burns: some orthopaedic complications, 105
Dextran 40, heparin and normal saline, methyl prednisolone, effects of: distant microcirculatory changes after major burn, 158
Dolgina M. I.: *see* Kuzin M. I.
Donor sites, skin, bacterial barrier dressing for, 52
Dopamine, plasma noradrenaline and, in burn patients, 20
Dosage regimens, gentamicin, in 66 burn patients, rapid individualization of, 215

Eckhard K.: *see* Kohler G.
Electrical injuries to upper extremity—review, 155
Electrophoresis, polyacrylamide disc gel, serum protein changes in post-traumatic (post-burn) patients by, 194
Energy exchanges, partitional calorimetry measurements of, in severely burned patients, 180
Engelman I. A.: *see* Bingham H. G.
Epidemiology of burns in Benghazi, Libya, 351
Eriksson E., Plym-Forshell K. and Robson M. C.: Distant microcirculatory changes after a major burn: effects of methyl prednisolone, Dextran 40, heparin and normal saline, 158
Eriksson E.: *see also* Boykin J. V.
Explosion, boiling-liquid, expanding-vapour: Los Alfaques Disaster, 233
Extensive burn, kidney function in, 361
Eve M. D., Settle A. D. and Smith J. H.: Amikacin in a burns unit: 2 years experience, 418
Eyelids, preservation of sight after complete destruction of, by burning, 221

Facial burns with unusual aetiology 136
Farnebo L.-O.: *see* Hamberger B.
Feuer L.: *see* Szebeni A.
Finley R. K. jun.: *see* Miller S. F.
Flaps, free, secondary scalp and forehead reconstruction using, 131
Flynn G. L.: *see* Rai Behl C.
Folklore-medicine and burns, 275
Fong S. W.: *see* Bartlett R. H.
Foot, right, motorcycle passenger's burn of: prevention of peculiar type of accident, 272
Forehead reconstruction, secondary scalp and, using free flaps, 131
Fox C. L. jun., Modak S., Stanford J. W. and Bradshaw W.: Silver sulphadiazine-poly hydroxyethylmethacrylate (PHEMA) dressing, 295
Frank H. A.: *see* Anderson P. O.
Frayn K. N.: *see* Threlfall C. J.

Gallyas A.: *see* Pellet S. jun.
Gang R. K.: Adhesive zinc tape in burns: results of a clinical trial, 322
Gang R. K.: *see also* Akhtar M.
Gazso L.: *see* Pellet S. jun.

Gentamicin dosage regimens in 66 burn patients, rapid individualization of, 215
Giljohann A.: Adolescents burned as children, 95
Girling M.: *see* Mayou B. J.
Graff A. J.: *see* Mason B. R.
Grafting, expansion of lapine, porcine and human skin *in vitro* for, on to extensive burns, 57
Grall C.: *see* Thomson P. D.
Grant C. G., Warren R. and Salter E.: Expansion of lapine porcine and human skin in vitro for grafting on to extensive burns, 57
Griffiths R. W. and Laing J. E.: Burn injury in the aged patient, 365

H-R, effects of, upon post-burn plasma volume loss in nonresuscitated dog, 211
Hackett M. E. J.: *see* Berry R. B.
Hamberger B., Farnebo L.-O. and Liljedahl S.-O.: Plasma noradrenaline and dopamine in burn patients, 20
Hardeman J.: *see* Bartlett R. H.
Harvey Kemble J. V.: *see* Buchan I. A.
Hauben D. J., Yanai E. and Mahler D.: On the history of burns,
Hayashi N.: Treatment for hydrofluoric acid burns, 267
Head M.: *see* Heck E.
Heck E., Head M., Nowak D., Helm P. and Baxter C.: Aloe vera (gel) cream as a topical treatment for outpatient burns, 291
Helm P.: *see* Heck E.
Henane R., Bittel J. and Banssillon V.: Partitional calorimetry measurements of energy exchanges in severely burned patients, 180
Hendriks W. D. H.: *see* Cech M.
Heparin and normal saline, methyl prednisolone, Dextran 40, effects of: distant microcirculatory changes after major burn, 158
Hilton J. G.: Effects of H-R upon post-burn plasma volume loss in the nonresuscitated dog, 211
History of treatment of burns, 383
Hogg G. R.: *see* Singh G. B.
Homograft, lyophilized, lyophilized pigskin and frozen pigskin biological dressing, comparative evaluation of, 84
Hormonal alterations, and associated metabolic alterations: Part I. Relationship to degree of burn, 10
and associated metabolic alterations following burn injury: Part II. Comparative evaluation in surviving and non-surviving patients, 16
Human skin, lapine, porcine and, expansion of, *in vitro* for grafting on to extensive burns, 57
Hummel R. P.: *see* McConnell C. M.
Hydrofluoric acid burns, treatment for, 267

Ikeuchi S., Aikawa N., Okuda M., Ishibiki K. and Abe O.: Changes in cell-mediated immunity and tumour growth after thermal injury, 400
Immunity, cell-mediated, and tumour growth after thermal injury, changes in, 400
Infections, *Pseudomonas aeruginosa* vaccine and pseudomonas anti-serum in treatment and prevention of, in burned patients, 1
Inoue S.: *see* Kikuchi I.
Ionescu A., Vasiliu S., Milicescu S., Meitert E., Sima F. and Savulian C.: *Pseudomonas aeruginosa* vaccine and pseudomonas anti-serum in treatment and prevention of infections in burned patients, 1
Ishibiki K.: Ikeuchi S.
Izawa Y.: *see* Aoyama H.

Jackson D. MacG.: Destructive burns: some orthopaedic complications, 105
Jackson D. MacG. and Roper-Hall M. J.: Preservation of sight after complete destruction of the eyelids by burning, 221
Jeyapaul J.: *see* Mistry S.

Keswani R. K.: *see* Sharma K. C.
Kidney function in extensive burn 361
Kikuchi I., Ogata K., Taketomi I., Aoki Y. and Inoue S.: Motorcycle passenger's burn of the right foot: prevention of a peculiar type of accident, 272
Kotkina T. I.: *see* Zaetz T. L.
Krischer J. P.: *see also* Bingham H. G.
Kurihara T.: *see* Rai Behl C.
Kuzin M. I., Sologub V. K., Dolgina M. I., Zaetz T. L., Ostolpopov V. A. and Babskaya Y. E.: Correction of protein metabolism in burns, 258

Laing J. E.: *see* Griffiths R. W.
Lamberty B. G. H.: *see* Buchan I. A.
Laminar flow, nursing of seriously burned patient in, 339
Lang S. M.: *see* Buchan I. A.
Langley J. and Silva P. A.: Childhood accidents involving the electric jug—options for prevention, 286
Lapine, porcine and human skin *in vitro* for grafting, expansion of, on to extensive burns, 57
Length of stay and survival for burned patients, effects of nutrition on, 252
Letter to the Editor, 154, 308
Library, burns slide, approach to cataloguing, 344
Liljedahl S.-O.: *see* Hamberger B.
Linares H. A.: *see* Carvajal H. F.
Linn E. E.: *see* Rai Behl C.
Little R. A.: *see* Threlfall C. J.
Los Alfaques Disaster: boiling-liquid, expanding-vapour explosion, 233

McConnell C. M. and Hummel R. P.: Perforating Curling's ulcer—a rare but lethal complication, 203
McGregor J. C., Sutherland A. B. and Robertson D. P.: Are expensive and elaborate burns units always necessary? A review of the Bangour Burns Unit over the first 10 years of use, 166
MacMillan B. G.: *see* Nathan P.

MacMillan B. G.: *see also* Yakuboff K.
Mahler D.: *see* Hauben D. J.
Mahler D.: *see also* Rosenberg L.
Marrujo G.: *see* Bartlett R. H.
Martin H. L.: Psychological effects of accidental injury in childhood with particular reference to burns and scalds, 90
Mason B. R., Graff A. J. and Pegg S. P.: Colour thermography in the diagnosis of the depth of burn injury, 197
Mathur A. K.: *see* Chansouria J. P. N.
Mathur A. K.: *see also* Sinha J. K.
Matthews R. N.: An approach to cataloguing a burns slide library, 344
Mayou B. J., Wee J. and Girling M.: Deep vein thrombosis in burns,
Meitert E.: *see* Ionescu A.
Melker R.: *see* Krischer J. P.
Metabolic alterations following burn injury, hormonal and associated: Part I. Relationship to degree of burn, 10
alterations following burn injury, hormonal and associated: Part II. Comparative evaluation in surviving and non-surviving patients,
response, post-scald, in growing rat: evidence for transient phase of muscle protein breakdown, 25
Metabolism, energy, in burned rat, chronic alterations in, 261
protein, in burns, correction of, 258
protein, in burns, disturbances of, 319
Methyl prednisolone, Dextran 40, heparin and normal saline, effects of: distant microcirculatory changes after major burn, 158
Microcirculation of scald burn: *in vivo* experimental study of hairless mouse ear, 335
Microcirculatory changes, distant, after major burn: effects of methyl prednisolone, Dextran 40, heparin and normal saline, 158
Milicescu S.: *see* Ionescu A.
Miller S. F. and Finley R. K. jun.: A time-sharing computerized data program for a community hospital burn unit, 176
Mistry N.: *see* Mistry S.
Mitochondrial function, toxic effects of extracts from burned skin, serum and blister fluid of burn patients on,
Modak S.: *see* Fox C. L. jun.
Mohamed Z.: *see* Rai Behl C.
Montanari A.: *see* Novarini A.
Motorcycle passenger's burn of right foot: prevention of peculiar type of accident, 272
Mouse skin permeability, hairless, immediate influences of branding at 60° C on: permeability of thermally damaged skin II:
Murphy W. L.: *see* Thomson P. D.
Muscle, protein breakdown, evidence for transient phase of: post-scald metabolic response in growing rat, 25
rat soleus, ultrastructure of, following local scald injury,
tissue electrolytes in burned subjects,
Nathan P., Robb E. C. and MacMillan B. G.: A bacterial barrier dressing for skin donor sites, 52
Neale H. W.: *see* Yakuboff K.
Negyesi G.: *see* Szebeni A.
Nonresuscitated dog, effects of H-R upon post-burn plasma volume loss in, 211
Noradrenaline, plasma, and dopamine in burn patients, 20
Novarini A., Montanari A., Curti A., Azzolini A. and Borghetti A.: Muscle tissue electrolytes in burned subjects,
Nowak D.: *see* Heck E.
Nutrition, effects of, on length of stay and survival for burned patients, 252

Oedema formation and albumin extravasation in rats, effect of burn depth upon, 79
Ogata K.: *see* Kikuchi I.
Okuda M. : *see* Ikeuchi S.
Orthopaedic complications, some: destructive burns, 105
Ostolpopov V. A.: *see* Kuzin M. I.
Ozawa T.: *see* Aoyama H.

Paediatric burn unit, psychosocial concerns in, 208
Page R. E. and Barclay T. L.: Correlation of scald depth and hypertrophic scar formation, 173
Papp T.: Facial burns with unusual aetiology (inflicted by inflammable spectacle frames), 136
Partitional calorimetry measurements of energy exchanges in severely burned patients, 180
Patel V.: *see* Chansouria J. P. N.
Patel V.: *see also* Sinha J. K.
Pegg S. P.: *see* Mason B. R.
Pellet S. jun., Gallyas A. and Gazso L.: Changes in biological properties of pigskin prepared as a biological dressing by preservation and radiation-sterilization, 49
Permeability of thermally damaged skin II: immediate influences of branding at 60° C on hairless mouse skin permeability, 389
Pharmacist, clinical, as member of burn team, 309
Pierson C. L.: *see* Rai Behl C.
Pigskin, lyophilized, and frozen pigskin, lypholized homograft, biological dressings, comparative evaluation of 84
prepared as biological dressing by preservation and radiation-sterilization, changes in biological properties of, 49
Pitman R. N.: *see* Boykin J. V.
Plasma noradrenaline and dopamine in burn patients, 20
Platelet changes, coagulation and, after thermal injury in man, 370
Plym-Forshell K.: *see* Eriksson E.
Polyamines, effect of burns and scalds on excretion of, by children, 100
Porcine and human skin, lapine and, expansion of, *in vitro* for grafting on to extensive burns, 57

Povidone-iodine aerosol foam solution and silver sulphadiazine cream as prophylactic topical antibacterial agents for treatment of burn wound, comparative evaluation of, 143
Prosthesis, new composite skin, 123
Protein metabolism, correction of, in burns, 258
disturbances of, in burns, 319
Pseudoaneurysm, infected traumatic, of radial artery in burned child: case report, 139
Pseudomonas aeruginosa vaccine and pseudomonas anti-serum in treatment and prevention of infections in burned patients, 1
Pseudomonas from blood cultures, enhanced recovery of, 38
Psychological effects of accidental injury in childhood with particular reference to burns and scalds, 90
Psychosocial concerns in paediatric burn unit, 208

Radiation-sterilization, changes in biological properties of pigskin prepared as biological dressing by preservation and, 49
Rai Behl C., Flynn G. L., Barrett M., Walters K. A., Linn E. E., Mohamed Z., Kurihara T., and Pierson C. L.: Permeability of thermally damaged skin II: immediate influences of branding at 60° C on hairless mouse skin permeability,
Rat, burned, chronic alterations in energy metabolism in, 261
Rauchfuss E., Riedeberger J. and Rose E.: Use of the synthetic temporary skin substitutes SYSpur-derm in the treatment of wounds of various origins, 298
Recent References, 74, 152, 230, 305, 380, 443
Reinarz J. A.: *see* Thomson P. D.
Reviews
Burns—a Team Approach. (C. P. Artz, J. A. Moncrief and B. A. Pruitt), 447
Experimental Skin Grafts and Transplantation Immunity—A Recapitulation (D. L. Ballantyre and J. M. Canvour), 382
Psycho-social Aspects of a Severe Burn: a Review of the Literature (M. L. Bowden, C. A. Jones and I. Feller), 447
Riedeberger J.: *see* Rauchfuss E.
Robb E. C.: *see* Nathan P.
Robertson D. P.: *see* McGregor J. C.
Robson M. C.: *see* Eriksson E.
Rogers D. D. and Harrison H. N. Effects of three concentrations of cerium nitrate on bacterial growth in excised burn wounds, 409
Roper-Hall M. J.: *see* Jackson D. MacG.
Rose E.: *see* Rauchfuss E.
Rosenberg L. and Mahler D.: Folklore-medicine and burns, 275
Roth J. C.: see Tavis M. J.

Saini A. S.: *see* Sharma K. C.
Saline, normal, methyl prednisolone, Dextran 40, heparin and, effects of: distant microcirculatory changes after major burn, 158
Salter E.: *see* Grant C. G.
Savulian C.: *see* Ionescu A.
Scald, burn, microcirculation of: *in vivo* experimental study of hairless mouse ear, 335
depth, and hypertrophic scar formation, correlation of, 173
Scalp, secondary, and forehead reconstruction using free flaps, 131
Scar, formation, hypertrophic, correlation of scald depth and, 173
Semi-permeable dressings, clinical and laboratory investigation of composition and properties of human skin wound exudate under, 326
Sen R. and Banerjee C.: Survey of 1000 admissions to a burns unit SSKM Hospital, Calcutta, 357
Sengupta S. R.: *see* Yemul V. L.
Serum protein changes in post-traumatic (post-burn) patient by polyacrylamide disc gel electrophoresis, 194
vitamin A levels in, of burned patients, 313
Shangraw R. E. and Turinsky J.: Chronic alterations in energy metabolism in the burned rat, 261
Sharma K. C., Saini A. S. and Keswani R. K.: Serum protein changes in post-traumatic (post-burn) patients by polyacrylamide disc gel electrophoresis, 194
Shuster J. J.: *see* Bingham H. G.
Shuster J. J.: *see also* Krischer J. P.
Sight, preservation of, after complete destruction of eyelids by burning, 221
Silva P., A.: *see* Langley J.
Silver sulphadiazine cream, comparative evaluation of povidone-iodine aerosol foam solution and, as prophylactic agents for treatment of burn wound, 143
Silver sulphadiazine-poly hydrozyethylmethacrylate (PHEMA) dressing, 295
Sima A.: *see* Ionescu A.
Singh G. B., Snelling C. F. T., Hogg G. R. and Waters W. R.: Débridement of the burn wound with sutilains ointment, 41
Sinha J. K., Mathur A. K., Chansouria J. P. N., Patel V., Tripathi F. M. and Udapa K. N.: Hormonal and associated metabolic alterations following burn injury: Part II. A comparative evaluation in surviving and non-surviving patients, 16
Sinha J. K.: *see also* Chansouria J. P. N.
Skin prosthesis, new composite, 123
substitute SYSpur-derm, synthetic temporary, use of, in treatment of wounds of various origins, 298
wound exudate, human, clinical and laboratory investigation of composition and properties of under semi-permeable dressings 326
Slide library, burns approach to cataloguing, 344
Snelling C. F. T.: *see* Singh G. B.
Solem L. D.: *see* Zaske D. E.
Sologub V. K.: *see* Kuzin M. I.
Somatomedin, activity in plasma from burned patients, observations on plasma cortisol, 425

Sørensen B. and Thomsen M.: The cost of burn injuries in Denmark, 162
SSKM Hospital, Calcutta, survey of 1000 admissions to burns unit, 357
Stanford J. W.: *see* Fox C. L. jun.
Strate R. J.: *see* Zaske D. E.
Stritzinger R.: *see* Kohler G.
Sutherland A. B.: *see* McGregor J. C.
Sutilains ointment, débridement of burn wound with, 41
SYSpur-derm, synthetic temporary skin substitute, use of, in treatment of wounds of various origins, 298
Szebeni A., Negyesi G. and Feuer L. : Vitamin A levels in the serum of burned patients, 313

Taketomi I.: *see* Kikuchi I.
Tavis M. J., Thornton J. W., Bartlett R. H., Roth J. C. and Woodroof E. A.: A new composite skin prosthesis, 123
Thermography, colour, in diagnosis of depth of burn injury, 197
Thomsen M.: *see* Sørensen B.
Thomson P. D., Murphy W. L., Browne M. E., Grall C. and Reinarz J. A.: Enhanced recovery of pseudomonas from blood cultures, 38
Thornton I. W.: see Tavis M. J.
Threlfall C. J., Little R. A. and Frayn K. N.: The post-scald metabolic response in the growing rat: evidence for a transient phase of muscle protein breakdown, 25
Thrombosis, deep vein, in burns, 438
Topical treatment for outpatient burns, aloe vera (gel) cream as, 291
Toxic effects of extracts from burned skin, serum and blister fluid of burn patients on mitochondrial function, 33
Tripathi F. M.: *see* Chansouria J. P. N.
Tripathi F. M.: *see also* Sinha J. K.
Trubo B. G.: *see* Anderson P. O.
Tumour growth, changes in cell mediated immunity and, after thermal injury, 400
Turinsky J. : *see also* Shangraw R. E.
Tyler G.: *see* Yakuboff K.

Udapa K. N.: *see* Chansouria J. P. N.
Udapa K. N.: *see* Sinha J. K.

Vaccine, *Pseudomonas aeruginosa,* and pseudomonas anti-serum in treatment and prevention of infection in burned patients, 1
Vasiliu S.: *see* Ionescu A.
Vein thrombosis, deep, in burns, 438
Vitamin A levels in serum of burned patients, 313

Wachtel T. L.: *see* Anderson P. O.
Walters K. A.: *see* Rai Behl C.
Warren R.: *see* Grant C. G.
Waters W. R.: *see* Singh G. B.
Weber G., Schmidt A. and Geiger A.: A computer controlled monitoring and therapy system for shock compensation in severe burns, 413
Wee J.: *see* Mayou B. J.
Wegener K.: *see* Kohler G.
Wesch H.: *see* Kohler G.
Wesley Alexander J.: *see* Ogle C. K.
Wilkins T. J. and Campbell J. L.: Psychosocial concerns in the paediatric burn unit, 208
Woodroof E. A.: *see* Tavis M. J.
Wound exudate, human skin, clinical and laboratory investigation of composition and properties of, under semi-permeable dressings, 326

Yakuboff K., Tyler G., Neale H. W. and MacMillan B. G.: Infected traumatic pseudoaneurysm of the radial artery in a burned child: a case report, 139
Yanai E.: *see* Hauben D. J.
Yemul V. L. and Sengupta S. R.: Bacteriology of burns, 190

Zaetz T. L. and Kotkina T. I.: On disturbances of protein metabolism in burns, 319
Zaetz T. L. *see also* Kusin M. I.
Zaske D. E., Cipolle R. J., Solem L. D. and Strate R. J.: Rapid individualization of gentamycin dosage regimens in 66 burn patients, 215
Zellner P. R.: *see* Kohler G.
Zinc tape, adhesive, in burns: results of clinical trial, 322

Printed in Great Britain by Henry Ling Ltd., a subsidiary of John Wright & Sons Ltd., at the Dorset Press, Dorchester.